

July 2011

I wish to submit an FOI request under the terms of the Freedom of Information Act 2000 to Southend University Hospital NHS Foundation Trust with a set specific questions around the usage of IT systems and Technology. The details of the questions can be viewed in the spreadsheet attached to this email which you can use directly to provide your responses.

Where appropriate, I have provided explanations of system types (in the form of cell comments) and also drop down menus in the relevant cells for you to select the appropriate response. I hope this will help to clarify the type of responses we are looking for and that you can easily complete and return the spreadsheet back to me. To avoid any potential confusion, please provide responses wherever possible for all fields for each IT system.

Please find below your spreadsheet which has been completed with the information we hold.



NHS Trust name	Southe	nd Unive	rsity Hos	pital NHS	Foundation	n Trust			Other N	HS Trust						
sites	1															
Number of stafff		approx)														
Number of desktop	2640															
PC's																
supported? Name of									Please i	note that	if your trus	st has more	than two	systems	installed th	nen please
data network												•	•	by insert	ing new ro	ws and
provider?									numbei	ring the re	elevant sys	tem (3, 4, 5	etc.)			
Name of telecoms																
network provider?																
IT System type	Syste m no	Was this system acquire d throug	Local Service Provid	Is this system locally or remote	If "Remote ", who	Software Supplier name	Software Product name	Versio n Numb	Date installe	No. of licenses	No. of concurre nt users	Which other systems does this	Contract expirati on date	When do you plan to replace the or revisit	Additiona I Notes	Is this system outsource
		h NPfIT?	er	ly hosted ?	hosts?	name	Hame	er	d		at peak time	integrate with?	on date	the contrac t?		d?
COMMUNITY SYSTEMS		h	er	hosted	hosts?	name	Hame	er	d			_	on date	the contrac		ar —
Main Communit y System (i.e., TPP,	1	h	er N/A	hosted	hosts?	ТРР	SystmOne	er	2011- 03-01	Under Negotiati on		_	N/A	the contrac	Proof of Concept PCT deploymen t within Trust.	ar .
Main Communit y System (i.e., TPP, RiO)	2	h NPfIT?		hosted ?		TPP	SystmOne	er	2011-	Negotiati	time	with?		the contrac	Concept PCT deploymen t within Trust.	ar .
Main Communit y System (i.e., TPP,		h NPfIT?		hosted ?				er	2011-	Negotiati	time	with?		the contrac	Concept PCT deploymen t within	ar .

Southend University Hospital MHS

NHS Foundation Trust

DEPARTMENT															
AL SYSTEMS															
Cardiology	1	No	N/A	Locally	HD Clinical	DataCam	V4.3.1			Not Recorded	PAS	2012-10- 01		Currently Business case for upgrade to new product line.	
	2														
Oncology	1	No	N/A	Locally	CIS	ChemoCar e	5.2D	2011- 04-01	9	Not Recorded	PAS			Installation Ongoing	
	2														
ADDITIONAL SYSTEMS															
Business Intelligenc	1	No	N/A	Locally	Ardenture	Healthwar e Cassius	V2009 6.6.5	2006- 01-01	150					No Plans to replace	
e and Data Warehousi ng	2	No	N/A	Locally	Microsoft	SQL Reporting Services	2008R2	2010- 05-01	SQL Cals	Not Recorded	In House developed application s	N/A		No Plans to replace	
Document Manageme nt	1	No	N/A	Locally	Microsoft	Sharepoin t	2006	2002- 04-01	Site Wide	Not Recorded		2012-10- 01	2012-10- 01	Evaluation to 2010 next quarter	
	2														
Integration Platform	1	No	N/A	Locally	Microsoft	BizTalk	2009	2002- 01-01	4	N/A	AglialCE, WinPAth, PAS, CED, DataCam, ChemoCar e, OPD	2012-10- 01	2011-07-	Replace due to PAS Replaceme nt	
	2														
Clinical Portal	1	No	N/A	Locally	Southend Hospital	CED	v1.5	2010- 09-01	Site Wide		PAS, MediSpeec h, AngliaICE			In House Developme nt	
	2														
Digital	1	No	N/A	Locally	G2Speech	MediSpee ch	V5.1	2011- 02-01	20	Not Recorded	PAS, CED			Proof of Concept	



NHS Foundation Trust

Dictation	2												
Finance	1	No	N/A	Locally	Real Asset Manageme nt	Series400 0	V2.05	2002- 04-01	4	Not Rcorded	2012-04- 01	No Plans to replace	
Tillance	2	No	N/A	Locally	Agresso	Unit 4	V533	2000- 04-01	Site Wide	Not Recorded	2012-04- 01	No Plans to replace	